

# CERTIFICATE OF ANALYSIS No.: 2022-7693

## CLIENT

CIITECH Ltd, 2 Athenaeum Road  
GB-N20 9AE London, United Kingdom



## SAMPLE \*

CBD Balm Gold 900mg, 30ml High Strength

Sample condition: SUITABLE  
Sample ID: 2205004  
Sample type: Balm  
Batch No.: \* BA03022031A

Work order: 2022-106123  
Analysis ID: 2022\_028  
Method ID: PHL\_RPC\_12C  
Method SOP: MET-002-03

Sample received: 03/02/2022  
Start of analysis: 03/02/2022  
End of analysis: 04/02/2022  
Analyst: Karmen Korbar

\* Information provided by the client.

## CANNABINOID TRACE ANALYSIS

	Concentration [% w/w]	Expanded uncertainty [% w/w]	LOQ [% w/w]	Graphic presentation of relative cannabinoid concentration
<b>CBDV</b> - Cannabidivarin	0.0070	0.0016	0.00300	
<b>CBDA</b> - Cannabidiolic acid	0.0050	0.0011	0.00300	
<b>CBGA</b> - Cannabigerolic acid	< LOQ	n/a	0.00300	
<b>CBG</b> - Cannabigerol	< LOQ	n/a	0.00300	
<b>CBD</b> - Cannabidiol	2.99	0.15	0.00300	
<b>THCV</b> - Tetrahydrocannabivarin	< LOQ	n/a	0.00300	
<b>CBN</b> - Cannabinol	< LOQ	n/a	0.00300	
<b>CBC</b> - Cannabichromene	< LOQ	n/a	0.00300	
<b>THC</b> - Δ-9-Tetrahydrocannabinol	< LOQ	n/a	0.00300	
<b>THCA</b> - Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	0.00300	
<b>8-THC</b> - Δ-8-Tetrahydrocannabinol	< LOQ #	n/a	0.00300	
<b>CBL</b> - Cannabicyclol	< LOQ #	n/a	0.00300	

Units and abbreviations: % w/w = weight percent, LOQ = the limit of quantitation, ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. **Expanded Uncertainty** was calculated using coverage factor  $k = 2$ , corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

04/02/2022

Approved by:

mag. Marko Dragan  
Analytical Laboratory Manager

Authorized by:

dr. Boštjan Jančar  
Chief Technology Officer

End of Certificate